



2" PolyFlue Venting

Straight Lengths (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-10	10" Length	20
2PF-10UV	10" Length UV	20
2PF-20	20" Length	10
2PF-39	39" Length	10
2PF-39UV	39" Length UV	10
2PF-79	79" Length	10

Elbows/Tees/Caps (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-45	45 Deg Elbow	10
2PF-45UV	45 Deg Elbow UV	10
2PF-90	90 Deg Elbow	10
2PF-90UV	90 Deg Elbow UV	10
2PF-T	Tee	1
2PF-TC	Tee Cap	1
2PF-TCD	Drain Tee Cap	1

Increasesers/Reducers (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-2I3	2"-3" Increaser	6

Supports

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
PF-HS	2" & 3" Horizontal Support	8
PF-WS	2" & 3" Wall Strap	8
2PF-2I3	2"-3" Increaser	6

Supports

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
PF-HS	2" & 3" Horizontal Support	8
PF-WS	2" & 3" Wall Strap	8



TYPE "B" GAS-VENT CHIMNEY 4" RV

<u>Code</u>	<u>Description</u>
4RV60	4" RV 60" Length
4RV36	4" RV 36" Length
4RV24	4" RV 24" Length
4RV18	4" RV 18" Length
4RV12	4" RV 12" Length
4RV6	4" RV 6" Length
4RV18ADJ	4" RV 18" Adjustable Length
4RV12ADJ	4" RV 12" Adjustable Length
4RV90EL	4" RV 90° Adjustable Elbow
4RV45EL	4" RV 45/60° Adjustable Elbow
4RVT	4" RV Double Wall Tee
4RVTC	4" RV Tee Cap
4RVAF	4" RV Adjustable Flashing 1/12 - 6/12
4RVAF712	4" RV Adjustable Flashing 7/12 - 12/12
4RVFF	4" RV Flat Flashing
4RVSC	4" RV Storm Collar
4RVDHC	4" Rv Draft Hood Connector
4RVREVDH	4" RV Reverse Draft Hood Connector
4RVRT	4" RV Round Top
4RVHWT	4" RV High Wind Top
4RVSP	4" RV Support Plate c/w Band
4RVFS	4" RV Firestop Spacer
4RVWT	4" RV Wall Thimble
4RVWSB	4" RV Wall Support Band
4RVWV	4" RV Oval to Round Adapter
4RVAIS	4" RV Attic Insulation Shield
4RVBT1	4" RV Single Wall Tee c/w Draft Hood Conn



TYPE "B" GAS-VENT CHIMNEY 5" RV

<u>CODE</u>	<u>DESCRIPTION</u>
5RV60	5" RV 60" Length
5RV36	5" RV 36" Length
5RV24	5" RV 24" Length
5RV18	5" RV 18" Length
5RV12	5" RV 12" Length
5RV6	5" RV 6" Length
5RV18ADJ	5" RV 18" Adjustable Length
5RV12ADJ	5" RV 12" Adjustable Length
5RV90EL	5" RV 90° Adjustable Elbow
5RV45EL	5" RV 45/60° Adjustable Elbow
5RVT	5" RV Double Wall Tee
5RVTC	5" RV Tee Cap
5RVAF	5" RV Adjustable Flashing 1/12 - 6/12
5RVAF712	5" RV Adjustable Flashing 7/12 - 12/12
5RVFF	5" RV Flat Flashing
5RVSC	5" RV Storm Collar
5RVDHC	5" RV Draft Hood Connector
5RVREVDH	5" RV Reverse Draft Hood Connector
5RVRT	5" RV Round Top
5RVHWT	5" RV High Wind Top
5RVSP	5" RV Support Plate c/w Band
5RVFS	5" RV Firestop Spacer
5RVWT	5" RV Wall Thimble
5RVWSB	5" RV Wall Support Band
5RVAIS	5" RV Attic Insulation Shield
5RVBT1	5" RV Single Wall Tee c/w Draft Hood Conn

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM

INLAND METAL

Prices Subject To
Change Without Notice

Sheet Metal Manufactures Custom Fabricators
Wholesale Heating Supplies

02.05.22



TYPE "B" GAS-VENT CHIMNEY

6" RV

<u>Code</u>	<u>Description</u>
6RV60	6" RV 60" Length
6RV36	6" RV 36" Length
6RV24	6" RV 24" Length
6RV18	6" RV 18" Length
6RV12	6" RV 12" Length
6RV6	6" RV 6" Length
6RV18ADJ	6" RV 18" Adjustable Length
6RV12ADJ	6" RV 12" Adjustable Length
6RV90EL	6" RV 90° Adjustable Elbow
6RV45EL	6" RV 45/60° Adjustable Elbow
6RVT	6" RV Double Wall Tee
6RVTC	6" RV Tee Cap
6RVAF	6" RV Adjustable Flashing 1/12 - 6/12
6RVAF712	6" RV Adjustable Flashing 7/12 - 12/12
6RVFF	6" RV Flat Flashing
6RVSC	6" RV Storm Collar
6RVDHC	6" RV Draft Hood Connector
6RVRT	6" RV Round Top
6RVHWT	6" RV High Wind Top
6RVSP	6" RV Support Plate c/w Band
6RVFS	6" RV Firestop Spacer
6RVWT	6" RV Wall Thimble
6RVWSB	6" RV Wall Support Band
6RV17	6" RV Increaser 6" to 7"
6RVI18	6" RV Increaser 6" to 8"
6RVAIS	6" RV Attic Insulation Shield
6RVBT1	6" RV Single Wall Tee c/w Draft Hood Conn



TYPE "B" GAS-VENT CHIMNEY 7" RV

<u>Code</u>	<u>Description</u>
7RV60	7" RV 60" Length
7RV36	7" RV 36" Length
7RV24	7" RV 24" Length
7RV18	7" RV 18" Length
7RV12	7" RV 12" Length
7RV12ADJ	7" RV 12" Adjustable Length
7RV90EL	7" RV 90° Adjustable Elbow
7RV45EL	7" RV 45/60° Adjustable Elbow
7RVT	7" RV Double Wall Tee
7RVTC	7" RV Tee Cap
7RVAF	7" RV Adjustable Flashing 1/12 - 6/12
7RVAF712	7" RV Adjustable Flashing 7/12 - 12/12
7RVFF	7" RV Flat Flashing
7RVSC	7" RV Storm Collar
7RVDHC	7" RV Draft Hood Connector
7RVRT	7" RV Round Top
7RVSP	7" RV Support Plate c/w Band
7RVFS	7" RV Firestop Spacer
7RVWSB	7" RV Wall Support Band
7RVAIS	7" RV Attic Insulation Shield

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM



TYPE "B" GAS-VENT CHIMNEY 8" RV

<u>Code</u>	<u>Description</u>
8RV60	8" RV 60" Length
8RV36	8" RV 36" Length
8RV18	8" RV 18" Length
8RV12	8" RV 12" Length
8RV12ADJ	8" RV 12" Adjustable Length
8RV90EL	8" RV 90° Adjustable Elbow
8RV12EL	8" RV 45/60° Adjustable Elbow
8RVT	8" RV Double Wall Tee
8RVTC	8" RV Tee Cap
8RVAF	8" RV Adjustable Flashing 1/12 - 6/12
8RVAF712	8" RV Adjustable Flashing 7/12 - 12/12
8RVFF	8" RV Flat Flashing
8RVSC	8" RV Storm Collar
8RVDHC	8" RV Draft Hood Connector
8RVRT	8" RV Round Top
8RVSP	8" RV Support Plate c/w Band
8RVFS	8" RV Firestop Spacer
8RVWSB	8" RV Wall Support Band
8RVAIS	8" RV Attic Insulation Shield

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM



TYPE "B" GAS-VENT CHIMNEY 8" RV

<u>Code</u>	<u>Description</u>
8RV60	8" RV 60" Length
8RV36	8" RV 36" Length
8RV18	8" RV 18" Length
8RV12	8" RV 12" Length
8RV12ADJ	8" RV 12" Adjustable Length
8RV90EL	8" RV 90° Adjustable Elbow
8RV12EL	8" RV 45/60° Adjustable Elbow
8RVT	8" RV Double Wall Tee
8RVTC	8" RV Tee Cap
8RVAF	8" RV Adjustable Flashing 1/12 - 6/12
8RVAF712	8" RV Adjustable Flashing 7/12 - 12/12
8RVFF	8" RV Flat Flashing
8RVSC	8" RV Storm Collar
8RVDHC	8" RV Draft Hood Connector
8RVRT	8" RV Round Top
8RVSP	8" RV Support Plate c/w Band
8RVFS	8" RV Firestop Spacer
8RVWSB	8" RV Wall Support Band
8RVI10	8" RV Increaser 8" to 10"
8RVUAF	8" RV Universal Adapter Female 1/4"
8RVAIS	8" RV Attic Insulation Shield

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM

FLEXI-LINER ALUMINUM CHIMNEY LINER

<u>Code</u>	<u>Description</u>
AF425K	4" x 25 Ft. Flex Kit
AF435K	4" x 35 Ft. Flex Kit
AF525K	5" x 25 Ft. Flex Kit
AF535K	5" x 35 Ft. Flex Kit
AF625K	6" x 25 Ft. Flex Kit
AF635K	6" x 35 Ft. Flex Kit
AF725K	7" x 25 Ft. Flex Kit
AF735K	7" x 35 Ft. Flex Kit
AF825K	8" x 25 Ft. Flex Kit
AF835K	8" x 35 Ft. Flex Kit

NOTE: KIT - ALUM FLEX, RAIN CAP, FLASHING

NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM

ALSO AVAILABLE IN STAINLESS STEEL FLEX
CALL FOR PRICING.



NOTE: FOR DETAILS & SPEC., GO TO SELKIRKCANADA.COM



2" PolyFlue Venting

Concentric Terminations (optional UV rated single wall pipe/elbow termination)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-HCT	Horizontal Concentric Termination	1
2PF-VCT	Vertical Concentric Termination	1
2PF-CTA	Twin Pipe to Concentric Adapter	1

Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-TP	Test Port	1
PF-LB	2" & 3" Locking Band (required at every pipe joint)	12
2PF-FS	Fire Stop	10
2PF-WP	Wall Plate	4
4PF-WP	Wall Plate Concentric Pipe	4
2PF-HVST	Bird Screen, Single Wall Horiz/ Vert termination	4
2PF-BVSC	B-vent Re-line Storm Collar	4
2PF-GKV	Replacement Gasket (straight pipe)	10
2PF-GKV	Replacement Gasket (flexible pipe)	10
2PF-GKETV	Replacement Gasket (elbows/tees)	10

Flashings

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
852190	Aluminum Base, Rubber Boot Flashing	12
853190	Thermoplastic Base, Rubber Boot Flashing	12

Flexible Pipe & Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
2PF-FLEX-ROLL	Flexible Pipe Roll, 66ft Long	1
2PF-FLEX-KIT	Masonry Re-line Flex Kit (does not include flex pipe)	1
2PF-FLEX-SP	Flex Spacers	5



3" PolyFlue Venting

Straight Lengths (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-10	10" Length	20
3PF-10UV	10" Length UV	20
3PF-20	20" Length	10
3PF-39	39" Length	10
3PF-39UV	39" Length UV	10
3PF-79	79" Length	6

Elbows/Tees/Caps (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-45	45 Deg Elbow	10
3PF-45UV	45 Deg Elbow UV	10
3PF-90	90 Deg Elbow	10
3PF-90UV	90 Deg Elbow UV	10
3PF-T	Tee	10
3PF-TC	Tee Cap	1
3PF-TCD	Drain Tee Cap	1

Adapters (field silicone as necessary to appliance; custom adapters available on request)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-PVC-PF	Adapter from PVC, (equals PVC OD, flue gas direction)	4
3PF-NOM-PF	Adapter from Nominal Dia (flue gas direction)	4
3PF-EZ-PF	Adapter from Saf-T Vent EZ Seal* (flue gas direction)	4
3PF-EZ	Adapter to Saf-T Vent EZ Seal* (flue gas direction)	4

*can be used to transition from/to Saf-T Vent system parts

Increasesers/Reducers (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-3I4	3"-4" Increaseser	10
3PF-3R2	3"-2" Reducer	1



3" PolyFlue Venting

Supports

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-HCTHS	3"x5" Horizontal Concentric	4
3PF-VCTWB	3"x5" Vertical Concentric Wall	4

Concentric Terminations (optional to UV rated single wall pipe/elbow termination)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-HCT	Horizontal Concentric Termination	1
3PF-VCT	Vertical Concentric Termination	1
3PF-CTA	Twin Pipe to Concentric Adapter	1

Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-TP	Test Port	1
3PF-CD	Inline Condensate Drain	1
3PF-FS	Fire Stop	10
3PF-WP	Wall Plate	4
3PF-WPC	Wall Plate Concentric Pipe	4
3PF-HVST	Bird Screen, Single Wall, Horiz/Vert Termination	4
3PF-BVSC	B-vent Re-line Storm Collar	4
3PF-GKVS	Replacement Gasket (straight pipe)	10
3PF-GKV	Replacement Gasket (flexible pipe)	10
3PF-GKETV	Replacement Gasket (elbows/tees)	10



3" PolyFlue Venting

Flashings

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
852290	Aluminum Base, Rubber Boot Flashing	12
853290	Thermoplastic Base, Rubber Boot Flashing	12
BV4ARF	3"x5" Conc Pipe 0-6/12 Flashing, Galvalume	1
BV4SRF	3"x5" Conc Pipe 7-12/12 Flashing, Galvalume	1
BV4SC	3"x5" Conc Pipe Storm Collar, Galvalume	8

Flexible Pipe & Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
3PF-FLEX-ROLL	Flexible Pipe Roll, 66ft Long	1
3PF-FLEX-KIT	Masonry Re-line Flex Kit (does not include flex pipe)	1
3PF-FLEX-SP	Flex Spacers	5



4" PolyFlue Venting

Straight Lengths (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-10	10" Length	30
4PF-10UV	10" Length UV	30
4PF-20	20" Length	30
4PF-39	39" Length	35
4PF-39UV	39" Length UV	35
4PF-79	79" Length	3

Elbows/Tees/Caps (requires locking band)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-45	45 Deg Elbow	6
4PF-45UV	45 Deg Elbow UV	6
4PF-90	90 Deg Elbow	6
4PF-90UV	90 Deg Elbow UV	6
4PF-T	Tee	1
4PF-TC	Tee Cap	1
4PF-TCD	Drain Tee Cap	1

Adapters (field silicone as necessary to appliance; custom adapter available upon request)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-PVC-PF	Adapter from PVC, (equals PVC OD, flue gas direction)	4
4PF-NOM-PF	Adapter from Nominal Dia (flue gas direction)	4
4PF-EZ-PF	Adapter from Saf-T Vent EZ Seal * (flue gas dir)	4
4PF-EZ	Adapter to Saf-T Vent EZ Seal * (flue gas dir)	4
4PF-NOM-PF	Adapter from Nominal Dia (flue gas direction)	4
4PF-EZ-PF	Adapter from Saf-T Vent EZ Seal * (flue gas dir)	4
4PF-EZ	Adapter to Saf-T Vent EZ Seal * (flue gas dir)	4

Non Diameter Misc Parts

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
PF-CDT	Condensate Drain Tube, 10ft long, 3/4" dia	1



4" PolyFlue Venting

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-4R3	4"- 3" Reducer	1

Supports

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-HS	4" Horizontal Support	8
4PF-WS	4" Wall Strap	8
4PF-HCTHS	4"x6" Horizontal Concentric support	4

Concentric Terminations (optional UV rated single wall pipe/elbow termination)

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-HCT	Horizontal Concentric Termination	1
4PF-CTA	Twin Pipe to Concentric Adapter	1

Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-TP	Test Port	1
4PF-CD	Inline Condensate Drain	1
4PF-LB	4" Locking Band (req'd at every pipe joint)	12
4PF-FS	Fire Stop	10
4PF-WP	Wall Plate	4
4PF-WPC	Wall Plate Concentric Pipe	8
4PF-HVST	Bird Screen, Single Wall Horiz/Vent termination	4
4PF-BVSC	B-vent Re-line Storm Collar	4
4PF-GKV	Replacement Gasket (straight/flexible pipe)	10
4PF-GKETV	Replacement Gasket (elbows/tees)	10



4" PolyFlue Venting

Flashings

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
852390	Aluminum Base, Rubber Boot Flashing	12
853390	Thermoplastic Base, Rubber Boot Flashing	12

Flexible Pipe & Accessories

<u>Code</u>	<u>Description</u>	<u>CTN Qty</u>
4PF-FLEX-ROLL	Flexible Pipe Roll, 66ft long	1
4PF-FLEX-KIT	Masonry Re-line flex kit (does not include flex pipe)	1
4PF-FLEX-SP	Flex Spacers	5



TYPE "B" GAS-VENT CHIMNEY 3" RV

<u>Code</u>	<u>Description</u>
3RV60	3" RV 60" Length
3RV36	3" RV 36" Length
3RV18	3" RV 18" Length
3RV12	3" RV 12" Length
3RV6	3" RV 6" Length
3RV18ADJ	3" RV 18" Adjustable Length
3RV12ADJ	3" RV 12" Adjustable Length
3RV90EL	3" RV 90° Adjustable Elbow
3RV45EL	3" RV 45/60° Adjustable Elbow
3RVT	3" RV Double Wall Tee
3RVTC	3" RV Tee Cap
3RVAF	3" RV Adjustable Flashing 1/12 - 6/12
3RVAF712	3" RV Adjustable Flashing 7/12 - 12/12
3RVFF	3" RV Flat Flashing
3RVSC	3" RV Storm Collar
3RVDHC	3" RV Draft Hood Connector
3RVRT	3" RV Round Top
3RVHWT	3" RV High Wind Top
3RVSP	3" RV Support Plate c/w Band
3RVFS	3" RV Firestop Spacer
3RVAIS	3" RV Attic Insulation Sheild
3RVWT	3" RV Wall Thimble
3RVWSB	3" RV Wall Support Band